

Product Messaging

SpaceMouse® Wireless

Product	SpaceMouse® Wireless
Document type	Product Copy Master Document (PCMD)
Category	3D Mouse
Language	EN
Part number	3DX-700066
EAN/UPC	4 260016 340736 / 8 21123 70043 7

Product Claim

Advanced 3D Navigation Anywhere

Product Copy short

Whether you are reviewing 3D drawings in a meeting room or presenting 3D design ideas at your partner office, SpaceMouse Wireless offers you the functionality to navigate efficiently in CAD applications anywhere.

Product Copy middle

The modern engineering workspace has become more diverse, flexible and mobile. Whether you are reviewing 3D drawings with colleagues or presenting design ideas in a meeting room, the SpaceMouse Wireless offers you the functionality to navigate efficiently in 3D applications anywhere.

Product Copy long

Advanced 3D Navigation Anywhere

The modern engineering workspace has become more diverse, flexible and mobile. Whether you are reviewing 3D drawings with colleagues or presenting design ideas in a meeting room, the SpaceMouse Wireless offers you the functionality to navigate efficiently in 3D applications anywhere.

Immersive Navigation of 3D Designs

3Dconnexion's patented 6-Degrees-of-Freedom (6DoF) sensor is specifically designed to manipulate digital content or camera positions in the industry-leading CAD applications. Simply push, pull, twist or tilt the 3Dconnexion controller cap to intuitively pan, zoom and rotate your 3D drawing. Your other hand is now free to simultaneously use your standard mouse to select, create or edit your model.

Reliable Connectivity

We combined 3Dconnexion's 6-degrees-of-freedom sensor with 3Dconnexion's 2.4 GHz wireless technology and a rechargeable battery to deliver the reliability of a wired device. SpaceMouse Wireless offers two connectivity options: work wireless via our Universal Receiver or with USB cable while charging the device. Thanks to its high capacity Li-Ion battery, you can work mobile for up to one month without charging.

Easy to use

Each of the two buttons of SpaceMouse Wireless opens its own 3Dconnexion radial menu*. They provide direct access to up to 8 of your favorite application commands. With our software 3DxWare 10 you easily create your own radial menus in seconds or choose from useful presets.

*Only with 3DxWare 10. Driver update may be required.

Carry Case Included

With a mobile workplace you often change location and need protection for your mobile device. So we included a compact and lightweight carry case with a durable surface for your SpaceMouse Wireless.

Single driver. Multiple devices

3DxWare 10 is the single driver foundation for all your 3Dconnexion devices. Its simple, yet powerful interface makes it easy to individualize all your 3Dconnexion products for peak performance.

Made for each other

When you pair your SpaceMouse Wireless with a CadMouse you get a synergy we call Two Handed Power. While the CadMouse in your right hand selects and creates with ease, the 3D mouse in your left hand smoothly positions your object or view. This two-handed-workflow is ergonomic and efficient and the CadMouse also has helpful features to simplify your work in CAD applications.

Features and Functions

- **Professional 3D Navigation in CAD** – Intuitively and precisely navigate digital models or views with the patented Six-Degrees-of-Freedom (6DoF) sensor.
- **Wireless Freedom** – 3Dconnexion® 2.4GHz Wireless technology ensures a reliable, real-time connection to your 3D content.
- **One Month of Battery Life** – SpaceMouse Wireless will operate for up to a month between charges.
- **Pure, functional design** – Small footprint, elegant brushed steel base, two conveniently positioned buttons.
- **Tailor made carry case included** – Durable, hard sided case for protection.

Technical Specifications

- Patented 3Dconnexion® six-degrees-of-freedom (6Dof) sensor
- 3Dconnexion® 2.4GHz wireless technology
- Rechargeable Lithium-ion-polymer
- Dimensions (LxWxH): 78mm x 78mm x 53mm (3,07 inches x 3,07 inches x 2,09 inches)
- Weight: 450g (15,87 oz)
- 2-year warranty

Package contents

- 3Dconnexion SpaceMouse Wireless
- 3Dconnexion 2.4GHz USB Universal Receiver
- Micro USB Cable 1.5m
- Carry Case

System Requirements

- Windows XP Professional SP2 (x86) oder höher, Windows XP Professional x64 Edition oder höher
- Mac OS X (10.4.6 oder höher)
- Linux Redhat Enterprise WS 4, SuSE Linux 9.3, Sun Solaris 8 (SPARC), Sun Solaris 10 (x86)
- USB 1.1

Certifications and Registrations

CE, FCC, RCM, BSMI, ROHS, WEEE, NCC, MIC, IC